



Floor Care



## **Pure Soap**

# Hardwood Floor Cleaning Solution



Revival Pure Soap is a natural oil based cleaning solution specifically developed for use with the chemistry of your UV cured oil floor. Its natural cleaning agents and jojoba oil will not only clean your floor but will also condition your floor keeping it healthy. Revival Pure Soap can be applied simply with a lint free cotton cloth or mop pad taking care not to leave the floor overly wet or with any standing water.

#### When to Use

We recommend using this product weekly. For floors that experience heavier than normal traffic and wear, more frequent cleaning and maintenance could be required.

## Size & Coverage

Revival Pure Soap is available in a  $\frac{1}{2}$  Gallon jug with coverage of 4,000 square feet.

#### Tools

A lint free cotton cloth or mop pad and two buckets or a duel chamber bucket.

#### **Directions**

- 1. Vacuum or sweep Revival Floor area to be cleaned to ensure it is free of any dust or debris.
- 2. Mix in one bucket at a 2% dilution ratio with water. For example, 1 gallon of lukewarm water would require approximately 2.5 ounces of Revival Pure Soap and 1 quart of lukewarm water would require approximately ½ ounce of Revival Pure Soap. The second bucket should be filled with water only.
- 3. Mop on the Revival Pure Soap solution and rinse the dirty mop in the clean water bucket frequently throughout the cleaning. Do not allow excessive moisture to sit on the floor.

## Warning



## **Pure Soap Spray**

# Hardwood Floor Cleaning Solution



Revival Pure Soap Spray is a natural oil solution specifically developed for use with the chemistry of your UV cured oil floor. Its natural cleaning agents and jojoba oil will not only clean your floor but will also condition your floor and keep it healthy. Revival Pure Soap Spray can be applied simply with a lint free cotton cloth or mop pad, taking care not to leave the floor overly wet or with any standing cleaning solution.

## When to Use

We recommend using this product weekly. For floors that experience heavier than normal traffic and wear, more frequent cleaning and maintenance could be required.

#### Tools

Clean lint free cotton cloth or mop pad.

#### **Directions**

- Vacuum or sweep area to be sure it is free of any dust or debris.
- 2. Shake Revival Pure Soap Spray well before use.
- Spray the Revival Pure Soap directly onto the area to be cleaned.
- 4. Wipe the surface with a lint free cotton cloth or mop pad.
- 5. Make sure there is no visible moisture after 2 minutes. If there is go back over with lint free cotton cloth or mop pad to remove moisture.

Note: It is not unusual to see a haze on darker floors after cleaning. If this occurs use a lint free cotton cloth to polish away the haze. Also, please use this product within a couple months after purchasing it. We make this product to order and as this is a natural oil product, it will oxidize over time rendering it less effective at protecting your floor.

## Warning



## **Spot Remover**

## Hardwood Floor Stain Remover



Revival Spot Remover is an intensive cleaner designed to combat the more stubborn stains on your Revival Hardwood Floor. Simply spray the Revival Spot Remover on the stain and let sit for twenty minutes and then gently scrub with a soft bristled brush. Follow with a quick treatment with the Revival Natural Soap to restore moisture and a protective oil film to the floor.

#### When to Use

We recommend using this product as necessary to remove stains from your floor.

#### **Tools**

Clean lint free cotton cloth or very soft bristle brush for extreme situations.

#### Directions

- Shake Revival Spot Cleaner before use.
- 2. Spray the Revival Spot Cleaner onto the stain.
- 3. Allow the Revival Spot Cleaner to dissolve the stain or dirt for 20 minutes.
- 4. Gently scrub with a soft bristled brush.
- 5. Wipe treated area with a slightly damp, lint free cotton cloth.
- 6. Allow surface to dry.
- 7. Apply Revival Natural Soap, following product directions, to recondition treated area.

Note: Overly aggressive brushing may require recoating in the treated area so contact a qualified professional if gentle spot treatment is ineffective. Take care not to damage the flooring.

## Warning



## Deep Clean

## Intensive Hardwood Floor Cleaner



Revival Deep Clean removes grease, wax, and any other heavy stains that can occur on your Revival Hardwood Floor.

#### When to Use

We recommend using this product a minimum of two times per year. For floors that experience heavier than normal traffic and wear, more frequent cleaning and maintenance could be required. After using Revival Deep Clean, a protective layer of Pure Soap or Revival Recoat System must be applied to protect the floor.

## Size & Coverage

Revival Deep Clean is available in a ½ Gallon jug with coverage of 1,500 square feet.

#### Tools

2 clean buckets, 1 clean sponge mop or paint roller, lint free cotton cloths, and a commercial buffing machine. with non-abrasive cleaning and buffing pads.

#### **Directions**

- 1. Sweep and vacuum floor surface so it is free of any dust/dirt.
- 2. Shake revival Deep Clean container before use.
- 3. Mop Revival Deep Clean [at full strength] onto no more than 40 square feet of flooring at a time to minimize the effects of moisture on the wood.
- 4. Allow the Revival Deep Clean liquid to sit for a few minutes in order to activate the cleaning agents, but do not allow the solution to dry.

- 5. Use the buffing machine and a non-abrasive cleaning pad to work the Deep Clean liquid over the floor surface in order to lift dirt and grease.
- 6. Use lint free cotton cloth to wipe up any excess residue from the buffing process.
- 7. Prepare a bucket with 3 parts lukewarm water to 1 part Revival Deep Clean. Prepare a second bucket with lukewarm water only. Mop the machine cleaned area with the diluted Revival Deep Clean solution. Wring out the dirty mop in the clean water bucket before putting them back into the Revival Deep Clean solution bucket.
- 8. Repeat until the entire floor has been treated.
- 9. In order to generate the desired sheen, buff the dry floor with a non-abrasive buffing pad.
- 10. After the floor has completely dried, follow the directions to apply either the Revival Refresh System [annually] or Revival Pure Soap.

Note: It is recommended that a professional cleaner/installer provides this cleaning with a buffing machine. The machine buffing of a hardwood floor must be done by an experienced operator in order to avoid damage to the floor or other objects in the room where the buffing takes place. It is recommended to follow the Revival Deep Clean immediately with the Revival Refresh System.

## Warning



## Touch-Up Kit

# Scratch & Nick Repair



The Revival Touch-Up Kit is available to touch up or repair areas of the floor that experience small, minor scratches or nicks. The color pen reintroduces color to camouflage these blemishes and the clear coat pen provides a protective coat to seal in the color. This kit will provide a capable homeowner or a professional repair technician with the materials needed to match your floor and complete the repair.

#### **Kit Contains**

Stain pen, graining pen, clear coat pen, colored fill putty, putty spreader, scuffing pad, & lint-free cotton cloth.

#### Tools

Touch-up kit and protective plastic or paper.

#### **Directions**

- 1. Clean floor surface to be touched up so it is free of any dirt, dust, or grease. Allow to dry.
- Optional: lay down protective plastic or paper to protect surrounding area from inadvertent drips.
- 3. Shake Color Pen thoroughly and then remove lid.
- 4. Press down tip on a safe, protected surface in order to establish flow. Do not pump or shake the pen or you risk splashing pigment on clothing or other surrounding objects.
- 5. Use the color pens to lightly draw the pigment into the damaged area being careful not to allow too much liquid pigment to accumulate on the tip of the pen or in the crevice. The objective is to keep the pen moving enough to cover the affected area with the pigment.
- 6. Blend in the color with a lint-free rag and wipe up any excess pigment from wood surface.
- 7. Allow touched-up area to fully dry for 3 to 5 minutes.
- 8. a. If the color repair is too light, repeat the process until desired shade is achieved.b. If the color is too dark, use the scuffing pad to rub the surface of the repaired area and then, only if necessary, reapply the pigment using less pigment until desired shade is achieved.
- Shake the Clear Coat Pen thoroughly and then remove lid.
- 10. Establish the flow of the clear coat pen on a safe, protected surface before applying to flooring. Do not pump or shake the pen or you risk splashing product on clothing or other surrounding objects.
- 11. Use the clear coat pen to lightly and quickly coat the repaired area being careful not to allow too much product to accumulate or pool in the crevice.
- 12. Use a lint-free rag to wipe up any excess clear coat. Allow to dry for 3 to 5 minutes.
- 13. 13. Gently use the scuffing pad to dull the sheen on the repaired area until it matches the surrounding floor. Warning: do not over scuff as it could damage the floor.
- 14. The epoxy filler can be used to fill deeper damaged areas the size of a paperclip or smaller.
  a. Using a razor blade, Slice off a sufficient piece of the epoxy stick to fill the void. If the end of an opened

putty stick is oxidized, slice off 1/16" to get to fresh putty.

- b. Use your fingers to press the two-color epoxy into a ball and work it until the two colors form one consistent color. Work briskly as the epoxy has approximately 5 minutes of working time before it starts to set up.
- c. Work the epoxy into the void taking care not to spread it onto the undamaged area of the floor.
- d. Wet your fingers or a plastic card slightly and smooth the top of the epoxy fill to match the level of the plank's surface.
- e. Wipe up any excess epoxy from the edges of the repair with a slightly damp lint free cloth.
- f. The epoxy will cure within 20 minutes.

## Warning

Please note that this product is specifically formulated for your Revival Hardwood Floor. Other products, soaps, and cleaners may not be compatible with, and could permanently damage and/or discolor your floor, and will void the warranty. Please follow all safety, precaution, and exposure warnings on the product SDS at our website www.revivalhardwooding.com/floorcare



## **Recoat System**

## Revitalize Your Hardwood Floor



Revival Recoat System was developed to be applied immediately after the floor has been cleaned with the Revival Deep Clean and leaves your floor looking like new. The natural oil in the Revival Recoat System is dry enough for light traffic after 6-12 hours and is fully cured after 2 weeks. Keep furniture off the freshly revitalized floor for 12-18 hours and carpets for 48 hours.

#### When to Use

We recommend using this product at a minimum of once each year. Applying the Revival Recoat System immediately after using the Revival Deep Clean product will insure the maximum protective finish is reintroduced to your floor. For floors that experience heavier than normal traffic and wear, more frequent cleaning and maintenance could be required.

## Size & Coverage

Revival Recoat System is available in a 1 Gallon jug with coverage of 750 square feet.

#### Tools

1 clean mop pad or paint roller, lint free cotton cloths, and a commercial buffing machine.

#### **Directions**

- 1. Floor will have been just cleaned using the Revival Deep Clean product.
- 2. This product is to be used undiluted, 100% strength. Roll or mop Revival Recoat System evenly onto the floor in smaller areas, not to exceed 40 square feet.
- 3. Use the floor buffing machine with a non-abrasive pad to work the Revival Recoat evenly into the floor.
- 4. Rub excess material off with lint free cotton cloths.
- Proceed to adjoining areas until the entire floor has been treated; be careful not to leave lap marks or untreated areas.

Note: Revival Recoat System should be applied annually to restore and refresh the floors finish. It is recommended that a professional cleaner/installer provides this application with a buffing machine. The machine buffing of a hardwood floor must be done by an experienced operator in order to avoid damage to the floor or other objects in the room where the buffing takes place. It is required to perform the Revival Deep Clean immediately before applying the Revival Recoat System. As with all oxidative oils, buffing pads and rags that come into contact with this product must be stored and disposed of in water filled metal pails to avoid self-ignition. Any rag or pad contaminated with oil and left exposed to air can self-ignite and cause serious damage, you must dispose of application items properly.

## Warning

Please note that this product is a specially formulated for the Revival Hardwood Floor. Other products, soaps, and cleaners may not be compatible with and could permanently damage and/or discolor your floor and will void the warranty. Please follow all safety and precaution warnings on the actual product packaging and visit our